

AD-A126 375


SPECTROSCOPY AND CHEMISTRY OF MOLECULES WITH HIGH  
VIBRATIONAL ENERGY CONT..(U) MASSACHUSETTS INST OF TECH  
CAMBRIDGE DEPT OF CHEMISTRY J I STEINFELD 15 OCT 82  
AFOSR-TR-83-0123 AFOSR-78-3725 F/G 20/5

1/1

UNCLASSIFIED

NL

							END
							DATE
							FILED
							5 - 5.5
							DTIC



MICROCOPY RESOLUTION TEST CHART  
NATIONAL BUREAU OF STANDARDS-1963-A

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

12

AD A 126375

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER <b>AFOSR-TR- 83-0123</b>	2. GOVT ACCESSION NO. <b>AD-A126375</b>	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) <b>Spectroscopy and Chemistry of Molecules with High Vibrational Energy Content</b>		5. TYPE OF REPORT & PERIOD COVERED <b>Final</b>
7. AUTHOR(s) <b>J.I. Steinfeld</b>		6. PERFORMING ORG. REPORT NUMBER
9. PERFORMING ORGANIZATION NAME AND ADDRESS <b>Department of Chemistry Massachusetts Institute of Technology Cambridge, Massachusetts 02139</b>		8. CONTRACT OR GRANT NUMBER(s) <b>AFOSR-78-3725</b>
11. CONTROLLING OFFICE NAME AND ADDRESS <b>Air Force Office of Scientific Research Bolling Air Force Base Washington, D.C. 20332</b>		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS <b>2303/B1 61102F</b>
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		12. REPORT DATE <b>15 October 1982</b>
		13. NUMBER OF PAGES <b>5</b>
		15. SECURITY CLASS. (of this report) <b>UNCLASSIFIED</b>
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) <b>Approved for public release; distribution unlimited</b>		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Vibrational excitation                      Chloroethane Multiple-photon excitation                  Fluorescence excitation spectroscopy Unimolecular dissociation                  Thiophosgene Chlorocyclobutane                          Infrared lasers		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) Research was performed on the reactivity, spectroscopy, and dynamics of vibrationally excited small polyatomic molecules. Infrared multiple-photon excitation of chlorocyclobutane, chloroethane, and other species was investigated. Laser-induced fluorescence excitation spectroscopy was used to probe vibrational distributions following IRMPD in thiophosgene. Master-Equation and Block-Equation calculations were used to analyze experimental results.		

DTIC  
ELECTE  
S APR 05 1983 D  
E

DTIC FILE COPY

DD FORM 1 JAN 73 1473

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

AFOSR-TR- 33 - 0 1 2 3

FINAL REPORT

to the

AIR FORCE OFFICE OF SCIENTIFIC RESEARCH

on

Grant No. AFOSR-78-3725

"Spectroscopy and Chemistry of Molecules  
with High Vibrational Energy Content"

by

Jeffrey I. Steinfeld  
Professor of Chemistry  
Massachusetts Institute of Technology  
Cambridge, Massachusetts 02139

(15 October 1982)



Accession For	
NTIS GRA&I	<input checked="" type="checkbox"/>
DTIC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
By	
Distribution/	
Availability Codes	
Dist	Avail and/or Special
A	

83 04 05 152

The overall objectives in this program were to characterize the reactivity, spectroscopy, and dynamics of vibrationally excited small polyatomic molecules. For convenience, we summarize here the principal findings arising from the research carried out. Further details can be found in the cited reference(s) from the publications list which follows.

The reactivity of a variety of molecules excited to dissociation by infrared multiple-photon absorption (IRMPA) has been investigated. The species  $R_2C=CHCl$  ( $R = CH_3, F$ ) were found to produce the vinylidenecarbene intermediate,  $R_2C = C:$ , which rearranged to the substituted acetylene except in the case of  $R = F$ , where the rearrangement was hindered. (Reiser and Steinfeld, 1980). The species  $C_4H_7Cl$  (cyclobutyl chloride) was found to possess three competitive dissociation channels, viz.,  $HCl$  elimination, ring scission, and  $C=Cl$  homolysis. (Francisco and Steinfeld, 1981; Lawrance et al., 1981). The species  $CF_3OOCF_3$  (bis(trifluoromethyl)peroxide) dissociated by cleavage of the  $O-O$  bond; the resulting  $CF_3O$  radicals underwent secondary dissociation to  $CF_2O + F$ . (Francisco et al., 1981; Zhang et al., 1982). The most extensive series of investigations was carried out on normal ( $-d_0$ ) and deuterated ( $-2-d_1, -2,2,2-d_3$ ) chloroethane. By the use of a Master-Equation model, we were able to estimate the energy-dependent infrared absorption cross-section  $\sigma(E)$ ; both increasing deuteration and increasing energy within the molecule have the effect of enhancing the statistical behavior of  $\sigma(E)$ . (Francisco et al., 1982; Francisco et al., to be published). Spectroscopic and kinetic investigations were also carried out on these molecules. (Francisco et al., 1981; Francisco et al., 1982; Zhu et al., 1982).

Infrared-optical double-resonance methods have been employed to probe the excitation dynamics and distributions in IRMPA. In a collaboration with Dr. D. Brenner of the Brookhaven National Laboratory, vibrational levels of thiophosgene were probed by laser-induced fluorescence excitation spectroscopy under both collision-free (beam) and bulk-gas conditions. The dominant feature in this

system appears to be highly efficient on-resonant pumping of very weak overtone and combination bands; the most astonishing result is the apparently huge effect of collisions in suppressing this pumping process. (Brenner et al., 1981; Brenner et al., in press). We are also developing a Coherent Anti-Stokes Raman method for probing vibrational distributions following IRMPA.

We also attempted to investigate the reactivity of single-photon-excited molecules, using a DF chemical laser oscillating at 3.4  $\mu\text{m}$  to excite C-H stretching modes in alkanes. (Frankel and Frankel, 1982). Although laser operation at these wavelengths was achieved, and excitation cross-sections measured, difficulties with sample purity and analytical procedures prevented us from obtaining a definitive result in this particular area.

Towards the conclusion of the present research grant, increasing emphasis was placed on laser-initiated reactions taking place at or near surfaces, particularly of fluorocarbon radicals generated by IRMPA with silicon surfaces. Optical diagnostic techniques, particularly laser-induced fluorescence, have been developed for studying these reactions, and work is now proceeding along these lines.

# LIST OF PUBLICATIONS

- I. Burak, T.J. Quelly, and J.I. Steinfeld, "Multiphoton CO<sub>2</sub> Laser Vibrational Heating of the Triplet State of Biacetyl", J. Chem. Phys. 70, 334 (1979).
- G.A. Capelle, D.G. Sutton, and J.I. Steinfeld, "Near-Resonant Electronic Energy Transfer from NF( $a^1\Delta$ ) to Bi", J. Chem. Phys. 69, 5140 (1978).
- A.J. Kotlar, R.W. Field, J.I. Steinfeld, and J.A. Coxon, "Analysis of Perturbations in the A<sup>2</sup> $\Pi$ -X<sup>2</sup> $\Sigma^+$  'Red' System of CN", J. Mol. Spectroscopy 80, 86 (1980).
- M. Tabor, R.D. Levine, A. Ben-Shaul, and J.I. Steinfeld, "Microscopic and Macroscopic Analysis of Non-Linear Master Equations: Vibrational Relaxation of Diatomic Molecules", Mol. Phys. 37, 141 (1979).
- J.I. Steinfeld and D.G. Sutton, "Surface-Hopping Model for Near-Resonant Electronic Energy Transfer", Chem. Phys. Letts. 64, 550 (1979).
- C. Reiser and J.I. Steinfeld, "Energy Deposition in Molecules Resulting from Multiple Infrared Photon Absorption", Opt. Eng. 19, 2 (1980).
- C. Rieser and J.I. Steinfeld, "Formation of Vinylidenecarbene Intermediates in Multiple Infrared Photon Elimination Reactions", J. Phys. Chem. 84, 680 (1980).
- J.I. Steinfeld, "Laser-Induced Chemical Reactions: Survey of the Literature, 1975-1979", in Laser-Induced Chemical Processes (J.I. Steinfeld, ed.), pp. 243-266, Plenum Publishing Corp., New York (1980).
- J.I. Steinfeld, "Recent Developments in Laser Photochemistry and Diagnostics", Proc. "Lasers '79" Conf. (Orlando, Florida, December 1979).
- J.S. Francisco and J.I. Steinfeld, "Infrared Photochemistry of Cyclobutyl Chloride", Intl. J. Chem. Kinetics, 13, 615 (1981).
- J.S. Francisco, M. Fingers and J.I. Steinfeld, "Infrared Photochemistry of bis(Trifluoromethyl) peroxide", Intl. J. Chem. Kinetics, 13, 627 (1981).
- W.D. Lawrance, J. Silberstein, Zhang Fu-min, Zhu Qing-shi, J.S. Francisco, and J.I. Steinfeld, "A Maximum Entropy Model for Branching Ratios in Multiple Infrared Photon Dissociation", J. Phys. Chem. 85, 1961 (1981).
- J.I. Steinfeld, "Chemistry and Spectroscopy of Molecules at High Levels of Excitation", to appear in workshop proceedings, "Energy Storage and Redistribution in Molecules" (J. Hinze, ed.), Plenum Publishing Co., New York.
- J.S. Francisco, J.I. Steinfeld, and R.G. Gilbert, "Convolution and deconvolution of focussed beam data in multiphoton decomposition experiments", Chem. Phys. Letts. 82, 311 (1981).
- J.S. Francisco, J.I. Steinfeld, K.D. King, and R.G. Gilbert, "Very-Low-Pressure Pyrolysis of Chloroethane-2,2,2-d<sub>3</sub>. Kinetics of DCl Elimination and the Effect of CO<sub>2</sub> Inert Bath Gas", J. Phys. Chem. 85, 4106 (1981).

D.M. Brenner, M. Spencer, and J.I. Steinfeld, "Influence of Collisions on Coherent IR Multiphoton Absorption in Thiophosgene", J. Chem. Phys. 75, 3153 (1981).

J.S. Francisco, W.D. Lawrance, J.I. Steinfeld, and R.G. Gilbert, "Infrared Multiphoton Decomposition and Energy-Dependent Absorption Cross Section of Chloroethane", J. Phys. Chem., 86, 724 (1982).

J.S. Francisco, Zhu Qingshi, and J.I. Steinfeld, "Vibrational Analysis of Chloroethane-2-d<sub>1</sub>", Spectrochim Acta. 38A, 671 (1982).

Zhu Qingshi, J.S. Francisco, and J.I. Steinfeld, "Diode Laser Spectroscopy of the  $\nu_g$  Band of Ethyl Chloride", J. Mol. Spectroscopy 92, 257 (1982).

Zhang Fu-min, J.S. Francisco, and J.I. Steinfeld, "Multiple Infrared Photon Dissociation and Kinetics of CF<sub>3</sub>O Radicals", J. Phys. Chem. 86, 2402 (1982).

D. Frankel and S.L. Frankel, "Chemical Laser Operation and n-Butane Absorption Coefficient at DF R-branch Lines", Appl. Opt. 21, 718 (1982).

J.S. Francisco, Zhu Qingshi, J.I. Steinfeld, and R.G. Gilbert, "Infrared Multiphoton Absorption Dynamics in Chloroethane Molecules", Proc. XIIth Intl. Quantum Electronics Conf. (Munich): Appl. Phys. B28, 184 (1982).

D.M. Brenner, M.N. Spencer, and J.I. Steinfeld, "Photophysics of Infrared Multiphoton Excitation in Thiophosgene", J. Chem. Phys., in press.

J.S. Francisco, Zhu Qingshi, and J.I. Steinfeld, "Infrared Multiphoton Decomposition and Energy-Dependent Absorption Cross Sections of Chloroethane-d<sub>0</sub>, -2-d<sub>1</sub>, and -2,2,2-d<sub>3</sub>", submitted to J. Chem. Phys.

J.I. Steinfeld, "Spectroscopy and Chemistry of Molecules with High Vibrational Energy Content," final technical report.



END

DATE  
FILMED

5 - 83

DTIC